



**DEEP ENDOMETRIOSIS ULTRASOUND:
NEW ULTRASOUND TECHNOLOGY
TO DIAGNOSE ENDOMETRIOSIS**

CONTENTS

INTRODUCTION	03
PELVIC PAIN AND WHY YOU SHOULD HAVE THE PAIN CHECKED OUT	05
THE AVERAGE TIME TO DIAGNOSE ENDOMETRIOSIS IS EIGHT YEARS	06
THIS DEBILITATING DISEASE AFFECTS WOMEN OF ALL AGES AND CURRENTLY THE CAUSE IS UNKNOWN	07
DEEP ENDOMETRIOSIS ULTRASOUND: NEW ULTRASOUND TECHNOLOGY TO DIAGNOSE ENDOMETRIOSIS	08
WHAT IS A DEEP ENDOMETRIOSIS ULTRASOUND?	10
WHY IS A DEEP ENDOMETRIOSIS ULTRASOUND USEFUL?	12
WHY OMNI?	15

INTRODUCTION

*Endometriosis
is a common
gynaecological
problem affecting
approximately up to
15% of all women.*

Principally, it is characterised by chronic pelvic pain, especially associated with menstruation, pain during sexual intercourse and/or painful bowel actions at the time of the period.

A greater awareness of the symptoms of endometriosis is VITAL.

The disease can be found in many sites throughout the pelvis, in particular the ovaries (called "**endometrioma**"), pelvic peritoneum, Pouch of Douglas, rectum, recto-sigmoid, rectovaginal septum, uterosacral ligaments, vagina and urinary bladder.

ST LEONARDS

1300 851 968

Ground Floor, Suite 2, 8 Northcote Street, St Leonards NSW 2065

PENRITH


1300 851 968

Level 2, Suite 2.01, Somerset Hospital, 38 Somerset Street, Kingswood NSW 2747

SYDNEY CITY

1300 851 968

Level 10, Suite 1005, 229 Macquarie Street, Sydney NSW 2000



PELVIC PAIN AND WHY YOU SHOULD HAVE THE PAIN CHECKED OUT

Pelvic pain can have a number of different causes.

Acute pelvic pain is sometimes symptomatic of ectopic pregnancy as well as:

- **Complications of ovarian cysts**
- **Pelvic infection**
- **Ovulation can even cause a surprising amount of discomfort**

Chronic pelvic pain can be a result of:

- **Previous pelvic infection**
- **Endometriosis**

In a recent survey it was found that 73% of women do not visit the doctor when they are suffering chronic pelvic pain.

Endometriosis is one of the most common causes of chronic pelvic pain - and one of the more important reasons to have an ultrasound scan to ensure you are not suffering from this debilitating illness.

ST LEONARDS

1300 851 968

Ground Floor, Suite 2, 8 Northcote Street, St Leonards NSW 2065

PENRITH

1300 851 968

Level 2, Suite 2.01, Somerset Hospital, 38 Somerset Street, Kingswood NSW 2747

SYDNEY CITY

1300 851 968

Level 10, Suite 1005, 229 Macquarie Street, Sydney NSW 2000

THE AVERAGE TIME TO DIAGNOSE ENDOMETRIOSIS IS EIGHT YEARS

*The first step
is greater
awareness by GPs
and by women who
suffer from chronic
pelvic pain.*

Sadly, a staggering number of women who experience chronic pelvic pain do not do anything about it. Because seriously, outside of a dictionary definition who knows what constitutes chronic?

Everyone has a unique pain threshold. So, a good rule of thumb is this if your pain is interfering with your day-to-day activities then there is something wrong.

Therefore early referral by your GP to gynaecologists with an interest in endometriosis is very important.

THIS DEBILITATING DISEASE AFFECTS WOMEN OF ALL AGES AND CURRENTLY THE CAUSE IS UNKNOWN

Aside from the crippling pain and fatigue, one of the hardest things about having endometriosis is receiving the correct diagnosis. There are hundreds of stories in blogs and medical websites about not only the pain but also the social and psychological effects of endometriosis.

An aspect of this disease is that the pain does not even need to be crippling. Like many such diseases, endometriosis can either cause severe or mild pain and every degree of pain in between. Also the pain may not necessarily be indicative of the severity of the disease. For example, you might have mild symptoms but on an ultrasound or laparoscopy it turns out that that you may have extensive disease and vice versa.

ST LEONARDS

1300 851 968

Ground Floor, Suite 2, 8 Northcote Street, St Leonards NSW 2065

PENRITH

1300 851 968

Level 2, Suite 2.01, Somerset Hospital, 38 Somerset Street, Kingswood NSW 2747

SYDNEY CITY

1300 851 968

Level 10, Suite 1005, 229 Macquarie Street, Sydney NSW 2000

DEEP ENDOMETRIOSIS ULTRASOUND: NEW ULTRASOUND TECHNOLOGY TO DIAGNOSE ENDOMETRIOSIS

Due to the nature of this disease it is important that you speak frankly with your doctor about your symptoms.

If you are worried about your symptoms and wish for a detailed examination, OMNI Ultrasound & Gynaecological Care in Sydney can provide transvaginal ultrasonography (TVS) with a Deep endometriosis ultrasound to predict ovarian and/or deep endometriosis.

Endometriosis is becoming more and more a medically managed disease and surgery can be avoided or delayed in a growing proportion of cases. TVS is the first line imaging technique in the diagnosis of deep endometriosis today. Adding Deep endometriosis ultrasound to the routine pelvic ultrasound examination by an experienced operator improves the accuracy of diagnosis of pelvic endometriosis.

But the process starts with you. If you are suffering, do not accept that crippling pain is normal, even if it is *“that time of month.”* Any pain that forces you off your feet and away from school, university, work or looking after your children and family is not normal. Pain is your body’s way of telling you that something is wrong, and you need to ensure - for your own health - that you visit your doctor.

A woman with light brown hair tied back, wearing a white off-the-shoulder top, is looking down with a slight smile. Her right hand is resting on her lower abdomen. The background is a soft, out-of-focus grey.

OMNI's role in diagnosing endometriosis

At our Sydney clinics we have the latest in ultrasound technology to give you the most accurate results. As mentioned we do provide Deep endometriosis ultrasound for assessing all forms of endometriosis, however for a definitive assessment a procedure called a laparoscopy ("keyhole" surgery) can be carried out to visualise the presence of endometriosis in the pelvis.

It is important that you speak frankly with your doctor about the pain and symptoms you are experiencing. Do not suffer for years with debilitating pain, visit OMNI Ultrasound & Gynaecological Care in Sydney for an ultrasound.

ST LEONARDS

1300 851 968 Ground Floor, Suite 2, 8 Northcote Street, St Leonards NSW 2065

PENRITH

1300 851 968 Level 2, Suite 2.01, Somerset Hospital, 38 Somerset Street, Kingswood NSW 2747

SYDNEY CITY

1300 851 968 Level 10, Suite 1005, 229 Macquarie Street, Sydney NSW 2000

WHAT IS DEEP ENDOMETRIOSIS ULTRASOUND?

Deep endometriosis ultrasound is a new technique based on TVS where a detailed assessment of the bladder, ureters, kidneys, vagina, cervix, rectovaginal septum, uterosacral ligaments, pouch of Douglas, rectum, recto-sigmoid and sigmoid colon is performed.

Deep endometriosis ultrasound is a new technique in the prediction of posterior compartment deep endometriosis. OMNI was the first ultrasound site in Australia to perform this new state of the art diagnostic technique.

More importantly, if your Deep endometriosis ultrasound is normal, the likelihood of underlying severe endometriosis is very low indeed. This can be helpful for your doctor in deciding whether the use of non-hormonal and/or hormonal medicines is indicated.

Who can have Deep endometriosis ultrasound?

If you have any of the following symptoms:

- **Chronic pelvic pain**
- **Dysmenorrhoea (painful periods)**
- **Dyspareunia (painful sexual intercourse)**
- **Dyschezia (painful bowel actions at the time of your period)**
- **History of previous endometriosis with recurrent symptoms**



ST LEONARDS
PENRITH
SYDNEY CITY

1300 851 968
1300 851 968
1300 851 968

Ground Floor, Suite 2, 8 Northcote Street, St Leonards NSW 2065
Level 2, Suite 2.01, Somerset Hospital, 38 Somerset Street, Kingswood NSW 2747
Level 10, Suite 1005, 229 Macquarie Street, Sydney NSW 2000

WHY IS DEEP ENDOMETRIOSIS ULTRASOUND USEFUL?

Many women with endometriosis at laparoscopy have had a normal pre-operative pelvic scan. Deep endometriosis ultrasound challenges the concept of a “normal pelvis” on ultrasound.

In other words, Deep endometriosis ultrasound gives extra diagnostic information over and above conventional sonography of the pelvis. This is extremely useful in planning your individualised management.

What are the benefits of Deep endometriosis ultrasound?

- **If negative, Deep endometriosis ultrasound helps your doctor to decide whether you should consider hormonal therapies such as the oral contraceptive pill or hormonal IUD called the Mirena.**
- **If positive, Deep endometriosis ultrasound helps your GP to decide whether you should be referred to a general gynaecologist or an advanced laparoscopic endometriosis surgeon.**
- **If positive, Deep endometriosis ultrasound helps your O&G Specialist to decide whether they need input from an advanced laparoscopic endometriosis surgeon.**
- **If positive, Deep endometriosis ultrasound helps your advanced laparoscopic endometriosis surgeon to plan specific surgery and the need for Colorectal input pre-operatively.**

Women who have deep endometriosis diagnosed using a Deep endometriosis ultrasound ideally should have their surgery done in a Tertiary referral Laparoscopic Surgical Unit.

Deep endometriosis ultrasound can negate the need for 2 laparoscopies and also exclude severe endometriosis before commencing fertility treatment.

If you are diagnosed with endometriosis at OMNI, this will help your referring GP or gynaecologist to plan your management which may include the use non-invasive hormonal approaches or in specific cases laparoscopic surgery for definitive treatment.

How safe is a Deep endometriosis ultrasound?

Ultrasound uses sound waves unlike X-rays which use ionizing radiation.

No anaesthetic is required. No hospital stay is required.

Procedure will take up to 45 minutes.

You can resume normal activities after the procedure.

Do I need any preparation?

No, just come with an empty bladder and there is NO bowel preparation needed for the procedure.

ST LEONARDS

1300 851 968

Ground Floor, Suite 2, 8 Northcote Street, St Leonards NSW 2065

PENRITH

1300 851 968

Level 2, Suite 2.01, Somerset Hospital, 38 Somerset Street, Kingswood NSW 2747

SYDNEY CITY

1300 851 968

Level 10, Suite 1005, 229 Macquarie Street, Sydney NSW 2000

References

Prediction of pouch of Douglas obliteration in women with suspected endometriosis using a new real-time dynamic transvaginal ultrasound technique: the sliding sign.

Reid S, Lu C, Casikar I, Reid G, Abbott J, Cario G, Chou D, Kowalski D, Cooper M, Condous G. *Ultrasound Obstet Gynecol.* 2013 Jun;41(6):685-91

The prediction of pouch of Douglas obliteration using offline analysis of the transvaginal ultrasound 'sliding sign' technique: inter- and intra-observer reproducibility.

Reid S, Lu C, Casikar I, Mein B, Magotti R, Ludlow J, Benzie R, Condous G. *Hum Reprod.* 2013 May;28(5):1237-46.

Consensus on current management of endometriosis.

Menakaya U, Infante F, Condous G. *Hum Reprod.* 2013 Nov;28(11):3162-3

Office gel Sonovaginography for the prediction of posterior deep infiltrating endometriosis: a multicenter prospective observational study.

Reid S, Lu C, Hardy N, Casikar I, Reid G, Cario G, Chou D, Almashat D, Condous G. *Ultrasound Obstet Gynecol.* 2014 Dec;44(6):710-8.

Systematic approach to sonographic evaluation of the pelvis in women with suspected endometriosis, including terms, definitions and measurements: a consensus opinion from the International Deep Endometriosis Analysis (IDEA) group.

Guerriero S, Condous G, van den Bosch T, Valentin L, Leone FP, Van Schoubroeck D, Exacoustos C, Installé AJ, Martins WP, Abrao MS, Hudelist G, Bazot M, Alcazar JL, Gonçalves MO, Pascual MA, Ajossa S, Savelli L, Dunham R, Reid S, Menakaya U, Bourne T, Ferrero S, Leon M, Bignardi T, Holland T, Jurkovic D, Benacerraf B, Osuga Y, Somigliana E, Timmerman D. *Ultrasound Obstet Gynecol.* 2016 Sep;48(3):318-32.

WHY OMNI?

OMNI Ultrasound & Gynaecological Care is committed to patient care and offers rapid access to diagnostic tests for women

Associate Professor George Condous is internationally renowned for his work in early pregnancy and endometriosis.

He wrote his MD on “The management of pregnancies of unknown location and the development of new mathematical models to predict outcome.”

Associate Professor Condous performed the first Deep endometriosis scan in Australia.

OMNI Ultrasound & Gynaecology Care uses ultrasound for the first point of contact for women with emergency gynaecological as well as early pregnancy complications.

Associate Professor Condous is also responsible for the One-Stop Ultrasound based diagnostic clinics. These clinics review women with abnormal uterine bleeding, chronic pelvic pain (like endometriosis), adnexal pathology (ovarian cysts) as well as post-menopausal bleeding.

We are more than happy to answer any questions you might have about how we can help you.

ST LEONARDS

1300 851 968

Ground Floor, Suite 2, 8 Northcote Street, St Leonards NSW 2065

PENRITH

1300 851 968

Level 2, Suite 2.01, Somerset Hospital, 38 Somerset Street, Kingswood NSW 2747

SYDNEY CITY

1300 851 968

Level 10, Suite 1005, 229 Macquarie Street, Sydney NSW 2000



1300 851 968



omnigynaecare.com.au



reception@omnigynaecare.com.au



St Leonards

Ground Floor, Suite 2,
8 Northcote Street,
St Leonards NSW 2065



Penrith

Level 2, Suite 2.01,
Somerset Hospital,
38 Somerset Street,
Kingswood NSW 2747



Sydney City

Level 10, Suite 1005,
229 Macquarie Street,
Sydney NSW 2000



Find us on **Social Media**

